






| HUGYFOT Underwater Camera Housings | | Retail € EXPORT |
|---|--|----------------------------|
| <p>All our housings are milled out of a solid block of High-End sea-waterproof aluminium. The surface is sanded and color-anodised. Standard with all housings comes the ergonomic patented handgrip with a sensitive lever and an extra big supervision viewfinder. For each objective we have a port available with a quick-release. All necessary commands are operatable while diving, and all display's en LCD screens are visible. Thanks to the ball-and-socket joint available on the housing itself we have a very compact design. All housings are tested on 100 m. Warranty 2 years.</p> | | |
| HFN-6.437 | HUGYFOT for Nikon D200 housing | 2123.97 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFN-6.534 | NEW - Release early December 2006 - HUGYFOT for Nikon D80 housing | 1648.76 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFN-6.220 | HUGYFOT for Nikon D70 housing | 1648.76 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFC-6.529 | NEW - Release early October 2006 - HUGYFOT for Canon 5D housing | 2123.97 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFC-6.535 | NEW - Release early December 2006 - HUGYFOT for Canon 400D housing | 1648.76 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFC-5.699 | HUGYFOT for Canon 350D housing | 1421.49 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFC-5.799 | HUGYFOT for Canon 300D housing | 1421.49 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |
| HFF-6.533 | NEW - HUGYFOT for Fuji S5 Pro housing | 2123.97 |
|  | Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | |

Retail 2006



| HUGYFOT Underwater Camera Housings | | Retail € EXPORT |
|---|---|---|
| HFL-5.999  | HUGYFOT for LEICA DIGILUX 2 housing - De Luxe version * Dimensions: L X H X W: 225 x 165 x 120 mm Weight: 2.210 g on land / 0 g in water Port, flash connection and accessories included. | 1979.34 |
| | HFP-5.899  | HUGYFOT for PANASONIC LUMIX DMC-LC1 housing - De Luxe version * Dimensions: L X H X W: 225 x 165 x 120 mm Weight: 2.210 g on land / 0 g in water Port, flash connection and accessories included. |
| HFO-6.439  | HUGYFOT for OLYMPUS E500 housing Dimensions: L X H X W: 208 x 160 x 125 mm Weight: 1.950 g on land / 0 g in water Ports, flash connections or accessories not included! | 1731.40 |
| | * De Luxe version is inclusive port, handle, armband, neoprene protection cap and carrier bag. | |
| Prices are valid from 01/01/2006. Valid to change without prior notice. All prices are ex factory. | | |



| HUGYFOT Underwater Camera Housings | | Retail € EXPORT |
|---|--|----------------------------|
| Handles | | |
| HAN-6.089 | Handle small | 50.00 |
| HAN-6.180 | Handle large | 50.00 |
| HAN-6.186 | Handle small + ball | 78.10 |
| HAN-6.187 | Handle large + ball | 78.10 |
| Leakage warners | | |
| LEW-5.035 | Leakage warner for Leica Digilux 2 / Panasonic DMC-LC1 | 95.04 |
| LEW-6.262 | Leakage warner for Nikon D70(S) | 95.04 |
| LEW-6.538 | Leakage warner for Nikon D80 | 95.04 |
| LEW-6.440 | Leakage warner for Nikon D200 | 95.04 |
| LEW-6.189 | Leakage warner for Canon 300 | 95.04 |
| LEW-6.370 | Leakage warner for Canon 350 | 95.04 |
| LEW-6.537 | Leakage warner for Canon 400D | 95.04 |
| LEW-6.536 | Leakage warner for Canon 5D | 95.04 |
| LEW-6.539 | Leakage warner for Fuji S5 Pro | 95.04 |
| LEW-6.441 | Leakage warner for Olympus E500 | 95.04 |
| Nikon options | | |
| AFL-6.324 | Auto focus lock | 78.51 |
| AFS-6.429 | AF/MF Switch | 78.51 |
| REL-6.463 | Lens release | 78.51 |
| Flash connections | | |
| FLC-6.301 | Flash connection 5-pin | 86.78 |
| FLC-6.419 | Flash connection 6-pin | 132.23 |



| HUGYFOT Underwater Camera Housings | | Retail € EXPORT |
|--|--|----------------------------|
| Flat ports | | |
| ARIUS / ATLAN (Nikon, Canon, ...) | | |
| FLP-6.392 | Flat port - L 70 / D 100 | 136.36 |
| FLP-6.100 | Flat port - L 90 / D 100 | 152.89 |
| FLP-6.118 | Flat port - L 120 / D 100 As long as stocks last! | 177.69 |
| FLP-6.131 | Flat port - L 145 / D 100 As long as stocks last! | 198.35 |
| FLP-6.133 | Flat port - L 185 / D 100 As long as stocks last! | 231.40 |
| PRO-5.037 | Neoprene protection cap for flat port | 19.83 |
| LEICA DIGILUX 2 / PANASONIC DMC-LC1 | | |
| FLP-5.051 | Standard Flat Port | 115.70 |
| PRO-5.037 | Neoprene protection cap for Flat Port | 19.83 |
| Wide angle ports - Dome glass | | |
| ARIUS / ATLAN (Nikon, Canon, ...) | | |
| FEP-6.178 | Fisheye Port - L 25 / D 174 | 347.11 |
| FEP-6.266 | Fisheye Port - L 30 / D 128 | 289.26 |
| PRO-6.403 | Neoprene protection cap for FEP-6.178 | 37.19 |
| PRO-6.428 | Neoprene protection cap for FEP-6.266 | 22.31 |
| WAP-6.127 | Wide Angle Port - L 40 / D 128 | 202.48 |
| WAP-6.290 | Wide Angle Port - L 50 / D 128 | 227.27 |
| WAP-6.460 | Wide Angle Port - L 55 / D 128 | 227.27 |
| WAP-6.181 | Wide Angle Port - L 65 / D 128 As long as stocks last! | 264.46 |
| WAP-6.291 | Wide Angle Port - L 85 / D 128 As long as stocks last! | 314.05 |
| WAP-6.295 | Wide Angle Port - L 90 / D 128 As long as stocks last! | 326.45 |
| WAP-6.297 | Wide Angle Port - L 100 / D 128 As long as stocks last! | 351.24 |
| PRO-6.428 | Neoprene protection cap for Wide Angle Port | 22.31 |
| LEICA DIGILUX 2 / PANASONIC DMC-LC1 | | |
| WAP-5.979 | Wide Angle Port | 347.11 |
| PRO-6.428 | Neoprene protection cap for Wide Angle Port | 22.31 |
| Wide angle ports - Flat glass | | |
| ARIUS / ATLAN (Nikon, Canon, ...) | | |
| WAP-6.399 | Wide Angle Port - L 40 / D 128 As long as stocks last! | 152.89 |
| WAP-6.272 | Wide Angle Port - L 85 / D 128 As long as stocks last! | 264.46 |
| WAP-6.260 | Wide Angle Port - L 90 / D 128 As long as stocks last! | 276.86 |
| PRO-6.428 | Neoprene protection cap for Wide Angle Port | 22.31 |



| HUGYFOT Underwater Camera Housings | | Retail € EXPORT |
|--|---|----------------------------|
| Extension rings | | |
| | ARIUS / ATLAN (Nikon, Canon, ...) | |
| EXT-6.430 | Extension ring 20 mm | 123.97 |
| EXT-6.273 | Extension ring 25 mm | 123.97 |
| EXT-6.274 | Extension ring 30 mm | 123.97 |
| EXT-6.116 | Extension ring 35 mm | 123.97 |
| EXT-6.275 | Extension ring 40 mm | 123.97 |
| EXT-6.225 | Extension ring 45 mm | 132.23 |
| EXT-6.431 | Extension ring 50 mm | 132.23 |
| EXT-6.101 | Extension ring 55 mm | 132.23 |
| EXT-6.432 | Extension ring 60 mm | 132.23 |
| Adapters | | |
| | Hugyfot housing to ... | |
| ADA-6.416 | Hugyfot housing to Sea & Sea ports | 144.63 |
| ADA-6.418 | Hugyfot housing to Aquatica ports | 144.63 |
| ADA-6.455 | Hugyfot housing to Sealux ports | 144.63 |
| ADA-6.490 | Hugyfot housing to Seacam ports | 144.63 |
| ADA-6.491 | Hugyfot housing to Subal ports | 144.63 |
| ADA-6.492 | Hugyfot housing to Nexus ports - will be available soon | 144.63 |
| ADA-6.518 | Adapter Hugyfot Arius/Atlan - F4/F5 - will be available soon | 144.63 |
| Gears for Aperture control | | |
| | LEICA DIGILUX 2 / PANASONIC DMC-LC1 | |
| GEA-5.945 | Leica Digilux 2 / Panasonic DMC-LC1 | 62.60 |
| Gears for Zoom control (a zoom gear is made up by using one gearing and one silicon gear) | | |
| | NIKOR (Gearing + Silicon Gear) | |
| GEA | See our port & gear chart to choose your gearing | 27.89 |
| SIL | See our port & gear chart to choose your silicon gear | 27.89 |
| | CANON (Gearing + Silicon Gear) | |
| GEA | See our port & gear chart to choose your gearing | 27.89 |
| SIL | See our port & gear chart to choose your silicon gear | 27.89 |
| | SIGMA (Gearing + Silicon Gear) | |
| GEA | See our port & gear chart to choose your gearing | 27.89 |
| SIL | See our port & gear chart to choose your silicon gear | 27.89 |
| | LEICA DIGILUX 2 / PANASONIC DMC-LC1 | |
| GEA-5.940 | Leica Digilux 2 / Panasonic DMC-LC1 | 62.60 |
| Gears for Focus Control (a focus gear is made up by using one gearing and one silicon gear) | | |
| | NIKOR (Gearing + Silicon Gear) | |
| GEA | See our port & gear chart to choose your gearing | 27.89 |
| SIL | See our port & gear chart to choose your silicon gear | 27.89 |
| | CANON (Gearing + Silicon Gear) | |
| GEA | See our port & gear chart to choose your gearing | 27.89 |
| SIL | See our port & gear chart to choose your silicon gear | 27.89 |
| | SIGMA (Gearing + Silicon Gear) | |
| GEA | See our port & gear chart to choose your gearing | 27.89 |
| SIL | See our port & gear chart to choose your silicon gear | 27.89 |



| HUGYFOT Underwater Camera Housings | | Retail € EXPORT |
|--|--|--|
| Inon strobes & accessories | | |
| STR-6.483 | Inon Z-240 | 599.17 |
| STR-6.484 | Inon D-2000 | 453.72 |
| STR-6.485 | Sync. Cord Nikonos | 81.82 |
| STR-6.486 | Optical cable | 81.82 |
| TTL circuit board | | |
| TTL-6.359 | TTL circuit board | 198.35 |
| 45° Viewfinder | | |
| VWF-6.495 | 45° Viewfinder - rotating 360° - detachable - order along with the housing | 657.02 |
| VWF-6.507 | 45° Viewfinder - rotating 360° - detachable - installed after ordering the housing | 739.67 |
| Flasharms with armballs Ø 25 mm | | |
| FLA-6.239 | Flasharm 11 cm | 90.91 |
| FLA-6.240 | Flasharm 23 cm | 95.04 |
| FLA-6.036 | Flasharm 23 cm for Sea & Sea | 95.04 |
| FLA-6.241 | Flasharm 31 cm | 103.31 |
| FLA-6.037 | Flasharm 31 cm for Sea & Sea | 103.31 |
| FLA-6.242 | Flasharm 50 cm | 107.44 |
| Power Closing for armballs ø 25mm | | |
| POW-6.032 | Power Closing for armballs ø 25mm | 33.06 |
| BAL-5.048 | Armball ø 25mm | 28.10 |
| BAL-6.064 | Armball - UNF 1/2" | 14.05 |
| Spare glass for flat ports & domeports | | |
| GLA-6.443 | Acryl Flat Glass Ø100 x 8 mm with O-ring | 25.62 |
| GLA-6.444 | Acryl Flat Glass Ø128 x 8 mm with O-ring | 30.58 |
| GLA-6.129 | Acryl Domeglass Ø128/40 x 8 mm with O-ring | 91.74 |
| GLA-6.449 | Acryl Domeglass Ø128/35 x 8 mm with O-ring | 91.74 |
| GLA-6.433 | Acryl Domeglass Ø174 x 8 mm with O-ring | 153.72 |
| GLA-6.434 | Mounting glass | 4.75 |
| Miscellaneous | | |
| BAG-6.075 | Hugyfot Carrier Bag | 14.88 |
| CLO-6.007 | Maintenance cloth for ports | 4.96 |
| HUGYFOT N.V. Industriezone ZUID Industrielaan 30 B - 9320 Erembodegem (Belgium) | | Tel. : +32 (0) 53 - 64 72 72 Fax : +32 (0) 53 - 66 27 28 E-mail: Info@hugyfot.com www.hugyfot.com |